


# Southern African Bird Atlas Project



## Occurrence:

n indicates the total number of cards on which the species was recorded. We also give this as a percentage (%) of the total cards for the site. The monthly breakdown shows the number of times the species was reported, as a percentage of the total cards for the month (ie: reporting rate).

## Breeding:

n represents the number of cards on which confirmed breeding activity was reported. The monthly breakdown is the number of times the species was recorded breeding.

## Site summary for:

**Site Name: MABILIGWE (2231AC)**

**Province: Northern Province**



				Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total															
Total cards per month				14	12	13	16	15	18	17	17	10	18	20	12	182															
Total number species				268	252	259	230	231	258	243	239	206	208	307	277	376															
Total number species breeding				5	14	13	13	14	14	13	14	9	15	41	18	100															
Spp Code	English	Cons Status	Occurrence													Breeding															
			n	%	J	F	M	A	M	J	J	A	S	O	N	D	n	J	F	M	A	M	J	J	A	S	O	N	D		
1	Common Ostrich		7	4	7	-	-	-	7	6	6	12	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Little Grebe (Dabchick)		3	2	-	-	-	-	-	6	-	-	-	-	10	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Great White Pelican	NT	1	1	-	-	-	-	-	6	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
55	White-breasted (Great) Cormorant		7	4	-	8	-	13	-	-	-	20	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
58	Reed (Long-tailed) Cormorant		10	5	7	8	15	-	7	6	-	6	20	-	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
60	African Darter		27	15	21	25	15	6	20	17	12	6	20	6	10	33	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
62	Grey Heron		61	34	43	17	23	19	47	33	18	41	50	22	45	50	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
63	Black-headed Heron		9	5	7	8	8	-	-	6	18	-	10	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
64	Goliath Heron		81	45	43	17	46	44	47	56	53	29	70	28	40	75	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
65	Purple Heron		7	4	7	17	-	6	-	-	6	-	-	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
66	Great Egret		73	40	50	17	38	25	47	44	35	47	20	22	65	58	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
67	Little Egret		10	5	7	17	-	-	-	11	-	6	20	6	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
68	Yellow-billed (Intermediate) Egret		3	2	-	8	-	-	-	-	-	-	20	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	Black Heron		2	1	-	-	-	-	-	-	-	6	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	Cattle Egret		29	16	7	17	23	13	13	17	6	-	40	17	20	33	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
72	Squacco Heron		11	6	7	-	-	-	7	11	6	-	10	-	10	25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
74	Green-backed (Striated) Heron		81	45	64	25	54	31	40	50	59	53	30	28	40	58	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
76	Black-crowned Night-Heron		12	7	7	17	8	-	13	6	12	6	-	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	White-backed Night-Heron	VU	2	1	-	-	-	-	-	-	6	-	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
78	Little Bittern		6	3	29	8	-	-	-	-	-	-	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
79	Dwarf Bittern		6	3	14	8	8	-	-	-	-	-	-	-	-	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
81	Hamerkop		76	42	64	42	38	38	53	44	41	35	40	17	50	42	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	White Stork		9	5	21	33	-	-	-	6	-	-	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	Black Stork	NT	34	19	21	17	-	13	27	28	29	18	40	11	10	17	6	-	-	-	-	1	2	1	1	1	-	-	-	-	
85	Abdim's Stork		1	1	-	-	-	-	-	-	-	-	-	-	8	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
86	Woolly-necked Stork	NT	37	20	36	25	15	13	33	17	12	6	20	17	25	33	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
87	African (Openbilled) Openbill (Stork)	NT	29	16	21	17	31	13	20	22	12	6	10	11	10	25	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
88	Saddle-billed Stork	EN	57	31	36	25	31	13	47	22	29	35	40	17	35	58	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
89	Marabou Stork	NT	43	24	29	25	38	19	33	22	24	18	20	6	35	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
90	Yellow-billed Stork	NT	46	25	43	25	15	19	13	22	12	6	20	33	45	50	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
93	Glossy Ibis		5	3	7	8	-	6	-	6	6	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
94	Hadedda Ibis		128	70	86	67	85	56	53	72	59	71	80	61	75	92	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
95	African Spoonbill		12	7	7	17	-	6	7	11	-	6	20	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
99	White-faced (Whistling-) Duck		19	10	7	25	23	-	13	22	-	6	20	-	5	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
101	White-backed Duck		1	1	7	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
102	Egyptian Goose		120	66	64	42	77	44	53	72	65	65	90	61	80	83	2	-	1	-	-	-	-	1	-	-	-	-	-	-	
107	Hottentot Teal		1	1	-	-	-	-	-	-	-	-	10	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Red-billed Teal (Duck)		1	1	-	-	-	-	-	-	-	6	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
114	African Pygmy-Goose	NT	4	2	-	-	-	-	7	11	-	-	10	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
115	Comb (Knob-billed) Duck		30	16	36	33	31	-	13	17	6	12	10	-	10	50	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
116	Spur-winged Goose		29	16	29	25	23	-	20	17	6	12	10	-	15	50	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
118	Secretarybird	NT	2	1	-	-	8	-	-	-	-	6	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Hooded Vulture	VU	35	19	14	17	31	19	20	22	12	18	20	11	30	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
122	Cape Vulture (Griffon)	VU	21	12	14	-	15	19	20	11	24	6	10	11	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
123	White-backed Vulture	VU	118	65	57	58	62	69	67	44	53	71	60	72	80	83	14	-	1	-	-	2	-	1	2	1	4	2	1	-	





Spp Code	English	Cons Status	Occurrence															Breeding												
			n	%	J	F	M	A	M	J	J	A	S	O	N	D		n	J	F	M	A	M	J	J	A	S	O	N	D
395	Marsh Owl	VU	2	1	-	8	-	-	-	-	-	-	-	5	-		0	-	-	-	-	-	-	-	-	-	-	-	-	
396	African Scops-Owl		17	9	14	17	8	19	7	6	18	-	-	-	20	-		0	-	-	-	-	-	-	-	-	-	-	-	-
397	Southern White-faced (Scops-) Owl		2	1	-	8	-	-	-	6	-	-	-	-	-	-		0	-	-	-	-	-	-	-	-	-	-	-	-
398	Pearl-spotted Owlet (Owl)		19	10	-	8	31	13	7	17	18	12	-	-	15	-		0	-	-	-	-	-	-	-	-	-	-	-	-
399	African Barred Owlet (Owl)		9	5	7	8	15	-	-	-	6	6	-	-	5	17		0	-	-	-	-	-	-	-	-	-	-	-	-
401	Spotted Eagle-Owl		18	10	29	8	23	6	7	11	18	12	-	-	-	8		0	-	-	-	-	-	-	-	-	-	-	-	-
402	Verreaux's (Giant) Eagle-Owl		27	15	21	25	15	6	13	28	18	6	10	6	15	17		0	-	-	-	-	-	-	-	-	-	-	-	-
403	Pel's Fishing-Owl		35	19	29	25	38	13	20	17	18	18	20	6	10	33		1	-	-	-	-	-	-	1	-	-	-	-	-
404	European Nightjar		5	3	14	17	8	-	-	-	-	-	-	-	-	-		0	-	-	-	-	-	-	-	-	-	-	-	-
405	Fiery-necked Nightjar		25	14	21	25	15	13	7	11	29	12	-	-	15	17		0	-	-	-	-	-	-	-	-	-	-	-	-
406	Rufous-cheeked Nightjar		7	4	7	-	-	-	-	-	-	6	10	6	10	8		0	-	-	-	-	-	-	-	-	-	-	-	-
408	Freckled Nightjar		18	10	21	25	-	6	7	6	24	6	-	-	10	17		0	-	-	-	-	-	-	-	-	-	-	-	-
409	Square-tailed (Mozambique) Nightjar		17	9	14	17	8	13	-	6	12	6	-	-	15	25		0	-	-	-	-	-	-	-	-	-	-	-	-
410	Pennant-winged Nightjar		1	1	-	-	-	-	-	-	-	6	-	-	-	-		0	-	-	-	-	-	-	-	-	-	-	-	-
412	African Black (Black) Swift		16	9	-	-	8	6	-	-	24	12	-	11	20	17		0	-	-	-	-	-	-	-	-	-	-	-	-
415	White-rumped Swift		34	19	29	8	23	31	7	-	6	18	10	28	30	33		1	-	-	-	-	-	-	-	-	-	1	-	-
416	Horus Swift		14	8	-	8	15	13	-	11	24	-	-	-	10	8		1	-	-	-	-	-	-	-	-	-	1	-	-
417	Little Swift		84	46	64	33	62	44	53	28	29	41	30	44	60	67		1	-	-	-	-	1	-	-	-	-	-	-	-
418	Alpine Swift		17	9	14	8	15	-	7	6	18	-	-	6	25	8		0	-	-	-	-	-	-	-	-	-	-	-	-
421	African Palm-Swift		62	34	43	50	23	19	13	39	47	18	20	17	60	58		5	-	-	-	1	1	-	1	-	-	1	1	-
422	Mottled Spinetail		19	10	14	17	8	6	7	6	18	6	20	-	15	17		0	-	-	-	-	-	-	-	-	-	-	-	-
423	Bohm's Spinetail		49	27	36	25	46	31	20	33	41	18	30	11	15	25		1	-	-	-	-	1	-	-	-	-	-	-	-
424	Speckled Mousebird		105	58	57	58	46	38	47	72	88	59	30	56	60	67		1	-	-	-	-	-	-	-	-	-	1	-	-
426	Red-faced Mousebird		63	35	50	50	54	38	27	22	47	29	20	6	40	42		0	-	-	-	-	-	-	-	-	-	-	-	-
427	Narina Trogon		33	18	36	33	8	-	20	-	-	12	20	17	30	58		0	-	-	-	-	-	-	-	-	-	-	-	-
428	Pied Kingfisher		94	52	43	58	54	25	67	56	41	41	50	39	75	75		0	-	-	-	-	-	-	-	-	-	-	-	-
429	Giant Kingfisher		74	41	29	33	54	31	47	44	35	47	50	28	40	58		0	-	-	-	-	-	-	-	-	-	-	-	-
431	Malachite Kingfisher		16	9	-	8	8	-	-	22	-	-	10	11	15	33		0	-	-	-	-	-	-	-	-	-	-	-	-
432	African Pygmy-Kingfisher		18	10	21	-	-	-	-	-	-	-	-	-	6	35	58		1	-	-	-	-	-	-	-	-	-	1	-
433	Woodland Kingfisher		58	32	93	100	62	13	-	-	-	-	-	-	55	100		6	3	-	1	-	-	-	-	-	-	-	-	2
435	Brown-hooded Kingfisher		138	76	64	83	62	56	73	83	94	88	80	67	90	58		1	-	-	-	-	-	-	-	-	-	1	-	-
436	Grey-headed (Chestnut-bellied) Kingfisher		8	4	14	17	-	6	-	-	-	-	-	6	5	8		0	-	-	-	-	-	-	-	-	-	-	-	-
437	Striped Kingfisher		40	22	21	8	23	31	47	22	35	12	10	11	30	-		0	-	-	-	-	-	-	-	-	-	-	-	-
438	European Bee-eater		55	30	50	75	62	6	-	-	-	6	10	28	80	58		0	-	-	-	-	-	-	-	-	-	-	-	-
440	Blue-cheeked Bee-eater		7	4	7	-	8	-	-	-	-	-	-	-	10	25		0	-	-	-	-	-	-	-	-	-	-	-	-
441	Southern Carmine Bee-eater		27	15	57	67	54	-	-	-	-	-	-	-	-	33		0	-	-	-	-	-	-	-	-	-	-	-	-
443	White-fronted Bee-eater		155	85	79	83	92	81	87	94	88	82	80	78	85	92		8	-	-	-	-	-	1	1	1	3	2	-	-
444	Little Bee-eater		65	36	29	33	38	25	40	22	41	41	40	33	45	42		0	-	-	-	-	-	-	-	-	-	-	-	-
446	European Roller		19	10	29	25	38	13	-	-	-	-	-	-	15	17		0	-	-	-	-	-	-	-	-	-	-	-	-
447	Lilac-breasted Roller		101	55	36	58	46	75	60	67	47	53	80	33	60	58		1	-	-	-	-	-	-	-	1	-	-	-	-
448	Racket-tailed Roller		7	4	-	-	8	6	7	-	12	-	10	6	-	-		0	-	-	-	-	-	-	-	-	-	-	-	-
449	Purple (Rufous-crowned) Roller		42	23	21	25	46	13	27	33	35	-	-	17	30	25		0	-	-	-	-	-	-	-	-	-	-	-	-
450	Broad-billed Roller		48	26	79	42	31	-	-	-	-	-	-	28	75	67		3	-	-	-	-	-	-	-	-	-	-	3	-
451	African Hoopoe		100	55	36	67	38	56	53	50	59	47	30	44	85	83		1	-	-	-	-	-	-	-	-	-	1	-	-
452	Green (Red-billed) Wood-hoopoe		117	64	50	67	54	56	40	72	65	71	50	61	90	83		2	-	-	-	-	-	-	-	-	1	1	-	-
454	Common Scimitarbill		68	37	36	33	31	44	27	56	41	41	20	28	40	42		0	-	-	-	-	-	-	-	-	-	-	-	-
455	Trumpeter Hornbill		116	64	71	83	62	44	73	44	53	65	50	67	75	83		0	-	-	-	-	-	-	-	-	-	-	-	-
457	African Grey Hornbill	109	60	57	67	54	69	47	61	47	24	70	61	80	92		0	-	-	-	-	-	-	-	-	-	-	-	-	
458	Redbilled Hornbill (pre-split)	97	53	64	50	54	69	40	44	71	59	50	39	55	42		0	-	-	-	-	-	-	-	-	-	-	-	-	
459	Southern Yellow-billed Hornbill	145	80	79	83	77	75	100	83	88	76	80	61	85	67		2	-	-	-	-	-	-	-	-	1	-	1	-	
460	Crowned Hornbill	46	25	21	17	23	31	27	33	18	18	10	28	35	33		0	-	-	-	-	-	-	-	-	-	-	-	-	
463	Southern Ground-Hornbill	41	23	21	42	31	19	33	22	29	6	30	6	15	33		6	-	1	1	1	1	-	-	-	-	1	1	-	
464	Black-collared Barbet	133	73	64	92	77	56	67	67	88	71	50	67	85	92		1	-	-	-	-	-	-	-	-	-	1	-	-	
465	Acacia Pied (Pied) Barbet	15	8	7	8	8	13	7	6	12	-	20	6	10	8		0	-	-	-	-	-	-	-	-	-	-	-	-	
470	Yellow-fronted Tinkerbird (Tinker Barbet)	43	24	50	17	23	13	20	17	12	24	20	11	45	33		1	-	-	-	-	-	-	-	-	-	1	-	-	
473	Crested Barbet	86	47	21	33	69	31	47	33	53	18	60	72	65	67		1	-	-	-	-	-	-	-	-	-	1	-	-	

Spp Code	English	Cons Status	Occurrence															Breeding																						
			n	%	J	F	M	A	M	J	J	A	S	O	N	D		n	J	F	M	A	M	J	J	A	S	O	N	D										
474	Greater Honeyguide		44	24	29	25	23	25	33	11	41	12	40	11	30	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
475	Scaly-throated Honeyguide		6	3	-	-	-	-	-	11	12	-	-	-	-	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
476	Lesser Honeyguide		16	9	14	-	8	-	7	-	18	12	10	11	10	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
481	Bennett's Woodpecker		5	3	-	-	-	-	-	6	12	-	-	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
483	Golden-tailed Woodpecker		78	43	43	25	38	31	27	50	71	35	30	28	70	50	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
486	Cardinal Woodpecker		53	29	21	17	38	25	20	28	41	12	20	28	55	33	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
487	Bearded Woodpecker		49	27	21	-	23	19	7	50	41	24	20	17	50	33	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
493	Monotonous Lark		6	3	14	8	-	6	-	-	-	-	-	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
494	Rufous-naped Lark		1	1	-	-	8	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
496	Flappet Lark		4	2	-	-	-	-	-	-	-	-	-	-	15	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
498	Sabota Lark		26	14	21	17	23	19	13	6	18	-	-	6	30	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
505	Dusky Lark		5	3	-	17	15	-	-	6	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
515	Chestnut-backed Sparrowlark (Finchlark)		2	1	-	-	-	-	-	6	-	-	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
518	Barn (European) Swallow		54	30	57	75	38	38	-	-	-	12	-	22	65	58	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
522	Wire-tailed Swallow		79	43	36	33	62	38	53	39	65	47	40	28	45	33	7	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-		
523	Pearl-breasted Swallow		5	3	7	-	8	6	7	6	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
524	Red-breasted (Rufous-chested) Swallow		10	5	-	-	15	-	-	-	-	-	20	17	5	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
525	Mosque Swallow		41	23	21	33	31	19	13	22	35	18	30	-	30	25	4	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
526	Greater Striped-Swallow		1	1	-	-	-	-	-	-	-	-	-	6	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
527	Lesser Striped-Swallow		62	34	43	50	31	-	-	6	24	35	40	39	80	67	4	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-		
529	Rock Martin		34	19	14	17	23	19	7	17	35	12	40	6	20	25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
530	Common House-Martin		8	4	-	8	15	-	-	-	-	-	10	-	15	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
531	Grey-rumped Swallow		8	4	7	-	-	-	-	6	6	6	-	-	15	8	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
532	Sand Martin (Bank Swallow)		3	2	-	-	8	-	-	-	-	-	10	-	-	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
533	Brown-throated (Plain) Martin		19	10	-	8	-	6	7	11	29	12	-	-	30	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
536	Black Saw-wing		2	1	-	-	-	6	-	-	-	-	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
538	Black Cuckooshrike		17	9	7	8	8	6	13	11	12	6	20	-	10	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
539	White-breasted Cuckooshrike		6	3	-	8	8	-	-	6	6	6	-	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
541	Fork-tailed Drongo		150	82	71	83	69	94	93	83	82	88	70	83	85	75	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
543	Eurasian Golden-Oriole		10	5	21	8	15	-	-	-	-	-	-	-	10	17	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
544	African Golden-Oriole		6	3	14	-	8	-	7	6	-	-	-	-	-	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
545	Black-headed (Eastern) Oriole		104	57	50	42	46	44	53	72	71	71	60	61	55	50	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
548	Pied Crow		37	20	50	17	15	25	13	17	6	18	30	11	20	33	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
554	Southern Black Tit		101	55	43	33	62	50	40	72	65	41	30	67	80	58	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
558	Grey (African) Penduline-Tit		7	4	-	-	-	6	-	6	18	12	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
560	Arrow-marked Babbler		92	51	43	75	62	38	53	50	65	41	40	56	55	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
568	Dark-capped (Black-eyed) Bulbul		165	91	86	92	92	88	93	94	100	88	80	83	90	100	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
569	Terrestrial Brownbul (Bulbul)		79	43	36	42	38	13	60	44	65	47	60	17	65	33	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
572	Sombre Greenbul (Bulbul)		46	25	29	8	46	6	33	33	24	18	-	22	40	33	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
574	Yellow-bellied Greenbul (Bulbul)		78	43	36	-	31	31	33	44	94	53	50	39	35	58	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
575	Eastern (Yellow-spotted) Nicator		26	14	14	-	31	-	13	11	18	6	10	11	25	33	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
576	Kurrichane Thrush		95	52	43	33	54	56	40	67	71	35	30	33	75	75	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
580	Groundscraper Thrush		20	11	14	8	8	6	7	6	6	12	20	-	25	25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
589	Familiar Chat		3	2	-	-	-	6	7	-	-	6	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
593	Mocking Cliff-Chat		12	7	7	8	-	19	-	6	6	-	10	6	10	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
594	Arnot's Chat		15	8	7	8	8	13	13	-	24	6	10	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
596	African (Common) Stonechat		4	2	-	-	-	6	-	-	18	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
599	White-browed (Heuglin's) Robin-Chat		104	57	57	33	62	56	60	56	76	59	40	39	65	75	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	Red-capped (Natal) Robin-Chat		34	19	7	8	8	6	13	39	53	47	20	-	5	8	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
602	White-throated Robin-Chat		69	38	29	25	31	25	47	50	53	41	60	28	35	33	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
613	White-browed (Red-backed) Scrub-Robin		76	42	29	42	38	31	47	44	53	53	30	17	60	50	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
616	Brown Scrub-Robin		4	2	-	8	-	-	-	-	6	-	10	-	5	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
617	Bearded Scrub-Robin		50	27	7	8	23	13	27	50	65	29	-	11	30	50																								





